



O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09071.5-1.5	71.5	74.5	1.5	
*	09072-2	72	76	2	
*	09072-2.5	72	77	2.5	
*	09072-3	72	78	3	
*	09072-4	72	80	4	
*	09072-4.5	72	81	4.5	
*	09072-5	72	82	5	
*	09072-6	72	84	6	
*	09072-8	72	88	8	
*	09072.3-1.3	72.3	74.9	1.3	
	08336	72.39	83.05	5.33	AS-336
	08233	72.62	79.68	3.53	AS-233
	08150	72.7	77.94	2.62	AS-150
	08040	72.75	76.31	1.78	AS-040
*	09073-1	73	75	1	
*	09073-1.5	73	76	1.5	
*	09073-2	73	77	2	
*	09073-2.5	73	78	2.5	
*	09073-3	73	79	3	
*	09073-3.1	73	79.2	3.1	
*	09073-4	73	81	4	
*	09073-4.5	73	82	4.5	
*	09073-5	73	83	5	
*	09073-7	73	87	7	
*	09073.4-4.8	73.4	83	4.8	
*	09074-1	74	76	1	
*	09074-1.5	74	77	1.5	
*	09074-2	74	78	2	
*	09074-2.5	74	79	2.5	
*	09074-3	74	80	3	
*	09074-3.5	74	81	3.5	
*	09074-4	74	82	4	V-75
*	09074-5	74	84	5	
*	09074-7	74	88	7	
*	09074.3-2.62	74.3	79.54	2.62	
	02075	74.4	80.6	3.1	G-75
	04075	74.5	78.5	2	S-75
	073075	74.6	81.6	3.5	JASO-3075
	01075	74.6	86	5.7	P-75
*	09075-1.5	75	78	1.5	


	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09075-2	75	79	2	
*	09075-2.1	75	79.2	2.1	
*	09075-2.4	75	79.8	2.4	
*	09075-2.5	75	80	2.5	
*	09075-3	75	81	3	
*	09075-4	75	83	4	
*	09075-4.5	75	84	4.5	
*	09075-5	75	85	5	Gm-075
*	09075-5.33	75	85.66	5.33	
*	09075-6	75	87	6	
*	09075-8	75	91	8	
*	09075-10	75	95	10	
*	09075.1-1.78	75.1	78.66	1.78	
	08337	75.57	86.23	5.33	AS-337
	08234	75.79	82.85	3.53	AS-234
	08151	75.87	81.11	2.62	AS-151
	08041	75.92	79.48	1.78	AS-041
*	09076-1	76	78	1	
*	09076-2	76	80	2	
*	09076-2.5	76	81	2.5	
*	09076-3	76	82	3	
*	09076-4	76	84	4	
*	09076-4.5	76	85	4.5	
*	09076-5	76	86	5	
*	09076-6	76	88	6	
*	09076-8	76	92	8	
*	09076-10	76	96	10	
*	09076.2-2	76.2	80.2	2	
*	09076.5-2.4	76.5	81.3	2.4	
*	09076.6-3.1	76.6	82.8	3.1	
*	09077-1	77	79	1	
*	09077-1.5	77	80	1.5	
*	09077-2	77	81	2	
*	09077-2.4	77	81.8	2.4	
*	09077-2.5	77	82	2.5	
*	09077-3	77	83	3	
*	09077-4	77	85	4	
*	09077-5	77	87	5	
*	09077-6	77	89	6	
*	09077-7	77	91	7	

O環尺寸

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)

O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1種 A	1種 B	3種	4種 C	4種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09077.36-1.78	77.36	80.92	1.78	
*	09077.4-3.1	77.4	83.6	3.1	
*	09077.5-5.3	77.5	88.1	5.3	
*	09077.6-3.5	77.6	84.6	3.5	
*	09078-1	78	80	1	
*	09078-1.5	78	81	1.5	
*	09078-1.78	78	81.56	1.78	
*	09078-2	78	82	2	
*	09078-2.1	78	82.2	2.1	
*	09078-2.5	78	83	2.5	
*	09078-3	78	84	3	
*	09078-4	78	86	4	
*	09078-5	78	88	5	
*	09078-6	78	90	6	
*	09078.5-5.5	78.5	89.5	5.5	
	08338	78.74	89.4	5.33	AS-338
	08235	78.97	86.03	3.53	AS-235
*	09079-2	79	83	2	
*	09079-2.5	79	84	2.5	
*	09079-3	79	85	3	
*	09079-4	79	87	4	V-80
*	09079-4.5	79	88	4.5	
*	09079-5	79	89	5	
*	09079-6	79	91	6	
*	09079-7	79	93	7	
*	09079.3-2.5	79.3	84.3	2.5	
	02080	79.4	85.6	3.1	G-80
*	09079.5-1.5	79.5	82.5	1.5	
	04080	79.5	83.5	2	S-80
	073080	79.6	86.6	3.5	JASO-3080
	01080	79.6	91	5.7	P-80
*	09080-1	80	82	1	
*	09080-1.5	80	83	1.5	
*	09080-2	80	84	2	
*	09080-2.5	80	85	2.5	
*	09080-3	80	86	3	
*	09080-3.5	80	87	3.5	
*	09080-4	80	88	4	
*	09080-4.5	80	89	4.5	
*	09080-5	80	90	5	Gm-080

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09080-6	80	92	6	
*	09080-7	80	94	7	
*	09080-8	80	96	8	
*	09081-2	81	85	2	
*	09081-3	81	87	3	
*	09081-4	81	89	4	
*	09081-5	81	91	5	
*	09081.7-5.7	81.7	93.1	5.7	
*	09081.8-4	81.8	89.8	4	
	08339	81.92	92.58	5.33	AS-339
*	09082-2	82	86	2	
*	09082-2.5	82	87	2.5	
*	09082-3	82	88	3	
*	09082-4	82	90	4	
*	09082-4.5	82	91	4.5	
*	09082-5	82	92	5	
*	09082-6	82	94	6	
*	09082-7	82	96	7	
	08236	82.14	89.2	3.53	AS-236
	08152	82.22	87.46	2.62	AS-152
	08042	82.27	85.83	1.78	AS-042
*	09083-1	83	85	1	
*	09083-1.5	83	86	1.5	
*	09083-2.5	83	88	2.5	
*	09083-3	83	89	3	
*	09083-3.1	83	89.2	3.1	
*	09083-4	83	91	4	
*	09083-4.5	83	92	4.5	
*	09083-5	83	93	5	
*	09083-6	83	95	6	
*	09083-7	83	97	7	
*	09083.5-1	83.5	85.5	1	
*	09083.5-6.6	83.5	96.7	6.6	
*	09084-2	84	88	2	
*	09084-2.5	84	89	2.5	
*	09084-3	84	90	3	
*	09084-3.5	84	91	3.5	
	09084-4	84	92	4	V-85
*	09084-5	84	94	5	
*	09084-7	84	98	7	

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09084-10	84	104	10	
	02085	84.4	90.6	3.1	G-85
	04085	84.5	88.5	2	S-85
	073085	84.6	91.6	3.5	JASO-3085
	01085	84.6	96	5.7	P-85
*	09085-1	85	87	1	
*	09085-1.5	85	88	1.5	
*	09085-2	85	89	2	
*	09085-2.5	85	90	2.5	
*	09085-3	85	91	3	
*	09085-3.5	85	92	3.5	
*	09085-4	85	93	4	
*	09085-5	85	95	5	Gm-085
*	09085-6	85	97	6	
*	09085-7	85	99	7	
*	09085-8	85	101	8	
	08340	85.09	95.75	5.33	AS-340
	08237	85.32	92.38	3.53	AS-237
*	09085.5-2.53	85.5	90.56	2.53	
*	09086-1.5	86	89	1.5	
*	09086-2	86	90	2	
*	09086-2.5	86	91	2.5	
*	09086-3	86	92	3	
*	09086-4	86	94	4	
*	09086-4.5	86	95	4.5	
*	09086-5	86	96	5	
*	09086-7	86	100	7	
*	09087-1	87	89	1	
*	09087-1.5	87	90	1.5	
*	09087-2	87	91	2	
*	09087-3	87	93	3	
*	09087-3.1	87	93.2	3.1	
*	09087-3.5	87	94	3.5	
*	09087-4	87	95	4	
*	09087-5	87	97	5	
*	09087-6	87	99	6	
*	09087-7	87	101	7	
*	09087.2-2.5	87.2	92.2	2.5	
*	09087.5-2.5	87.5	92.5	2.5	
*	09088-1.5	88	91	1.5	

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09088-2	88	92	2	
*	09088-2.5	88	93	2.5	
*	09088-3	88	94	3	
*	09088-3.5	88	95	3.5	
*	09088-4	88	96	4	
*	09088-4.5	88	97	4.5	
*	09088-5	88	98	5	
*	09088-6	88	100	6	
*	09088-7	88	102	7	
	08341	88.27	98.93	5.33	AS-341
	08238	88.49	95.55	3.53	AS-238
	08153	88.57	93.81	2.62	AS-153
	08043	88.62	92.18	1.78	AS-043
*	09089-1	89	91	1	
*	09089-2	89	93	2	
*	09089-3	89	95	3	
*	09089-4	89	97	4	V-90
*	09089-4.5	89	98	4.5	
*	09089-7	89	103	7	
*	09089-9	89	107	9	
	02090	89.4	95.6	3.1	G-90
	04090	89.5	93.5	2	S-90
*	09089.5-2.5	89.5	94.5	2.5	
*	09089.5-3	89.5	95.5	3	
	073090	89.6	96.6	3.5	JASO-3090
	01090	89.6	101	5.7	P-90
*	09090-1	90	92	1	
*	09090-1.5	90	93	1.5	
*	09090-2	90	94	2	
*	09090-2.5	90	95	2.5	
*	09090-3	90	96	3	
*	09090-3.5	90	97	3.5	
*	09090-4	90	98	4	
*	09090-4.5	90	99	4.5	
*	09090-5	90	100	5	Gm-090
*	09090-6	90	102	6	
*	09090-7	90	104	7	
*	09090-10	90	110	10	
*	09090.5-4	90.5	98.5	4	
*	09090.7-2.5	90.7	95.7	2.5	

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)