




單位 unit: mm

	加耐力編號 CNL Parts No.	內徑 I.D.	外徑 O.D.	厚度 W
*	09001-1	1	3	1
*	09001.5-1	1.5	3.5	1
*	09001.7-1	1.7	3.7	1
*	09002-1	2	4	1
*	09002.5-1	2.5	4.5	1
*	09002.6-1	2.6	4.6	1
*	09003-1	3	5	1
*	09003.2-1	3.2	5.2	1
*	09003.5-1	3.5	5.5	1
*	09004-1	4	6	1
*	09004.5-1	4.5	6.5	1
*	09005-1	5	7	1
*	09005.5-1	5.5	7.5	1
*	09006-1	6	8	1
*	09006.5-1	6.5	8.5	1
*	09007-1	7	9	1
*	09007.5-1	7.5	9.5	1
*	09008-1	8	10	1
*	09008.5-1	8.5	10.5	1
*	09009-1	9	11	1
*	09009.5-1	9.5	11.5	1
*	09010-1	10	12	1
*	09010.5-1	10.5	12.5	1
*	09011-1	11	13	1
*	09012-1	12	14	1
*	09013-1	13	15	1
*	09014-1	14	16	1
*	09014.5-1	14.5	16.5	1
*	09015-1	15	17	1
*	09015.5-1	15.5	17.5	1
*	09016-1	16	18	1
*	09017-1	17	19	1
*	09018-1	18	20	1
*	09020-1	20	22	1
*	09020-1.2	20	22.4	1.2
*	09021-1	21	23	1
*	09022-1	22	24	1
*	09023-1	23	25	1
*	09024-1	24	26	1
*	09025-1	25	27	1
*	09026-1	26	28	1
*	09028-1	28	30	1
*	09030-1	30	32	1
*	09032-1	32	34	1
*	09034-1	34	36	1

	加耐力編號 CNL Parts No.	內徑 I.D.	外徑 O.D.	厚度 W
*	09036-1	36	38	1
*	09038-1	38	40	1
*	09040-1	40	42	1
*	09042-1	42	44	1
*	09045-1	45	47	1
*	09046-1	46	48	1
*	09048-1	48	50	1
*	09050-1	50	52	1
*	09052-1	52	54	1
*	09055-1	55	57	1
*	09060-1	60	62	1
*	09062-1	62	64	1
*	09065-1	65	67	1
*	09070-1	70	72	1
*	09080-1	80	82	1
*	09085-1	85	87	1
*	09090-1	90	92	1
*	09094-1	94	96	1
*	09100-1	100	102	1
*	09001.5-1.5	1.5	4.5	1.5
*	09002-1.5	2	5	1.5
*	09003-1.5	3	6	1.5
*	09003.8-1.5	3.8	6.8	1.5
*	09004-1.5	4	7	1.5
*	09005-1.5	5	8	1.5
*	09006-1.5	6	9	1.5
*	09007-1.5	7	10	1.5
*	09008-1.5	8	11	1.5
*	09009-1.5	9	12	1.5
*	09010-1.5	10	13	1.5
*	09011-1.5	11	14	1.5
*	09012-1.5	12	15	1.5
*	09012.5-1.5	12.5	15.5	1.5
*	09013-1.5	13	16	1.5
*	09014-1.5	14	17	1.5
*	09015-1.5	15	18	1.5
*	09016-1.5	16	19	1.5
*	09017-1.5	17	20	1.5
*	09018-1.5	18	21	1.5
*	09018.3-1.5	18.3	21.3	1.5
*	09019-1.5	19	22	1.5
*	09020-1.5	20	23	1.5
*	09021-1.5	21	24	1.5

* 代表國際規範外， 加耐力公司特別尺寸。

(* means CNL special design outside the international standard specifications)



單位 unit: mm

	加耐力編號 CNL Parts No.	內徑 I.D.	外徑 O.D.	厚度 W
*	09021.6-1.5	21.6	24.6	1.5
*	09022-1.5	22	25	1.5
*	09022.5-1.5	22.5	25.5	1.5
*	09024-1.5	24	27	1.5
*	09025-1.5	25	28	1.5
*	09025.5-1.5	25.5	28.5	1.5
*	09026-1.5	26	29	1.5
*	09027-1.5	27	30	1.5
*	09028-1.5	28	31	1.5
*	09029-1.5	29	32	1.5
*	09030-1.5	30	33	1.5
*	09031-1.5	31	34	1.5
*	09031.5-1.5	31.5	34.5	1.5
*	09032-1.5	32	35	1.5
*	09033-1.5	33	36	1.5
*	09034-1.5	34	37	1.5
*	09035-1.5	35	38	1.5
*	09036-1.5	36	39	1.5
*	09038-1.5	38	41	1.5
*	09039-1.5	39	42	1.5
*	09037-1.5	37	40	1.5
*	09039.5-1.5	39.5	42.5	1.5
*	09040-1.5	40	43	1.5
*	09042-1.5	42	45	1.5
*	09044-1.5	44	47	1.5
*	09045-1.5	45	48	1.5
*	09045.8-1.5	45.8	48.8	1.5
*	09046.8-1.5	46.8	49.8	1.5
*	09048-1.5	48	51	1.5
*	09049.5-1.5	49.5	52.5	1.5
*	09050-1.5	50	53	1.5
*	09051-1.5	51	54	1.5
*	09052-1.5	52	55	1.5
*	09055-1.5	55	58	1.5
*	09058-1.5	58	61	1.5
*	09060-1.5	60	63	1.5
*	09062.5-1.5	62.5	65.5	1.5
*	09065-1.5	65	68	1.5
*	09070-1.5	70	73	1.5
*	09071-1.5	71	74	1.5
*	09079.5-1.5	79.5	82.5	1.5
*	09080-1.5	80	83	1.5
*	09085-1.5	85	88	1.5
*	09090-1.5	90	93	1.5
*	09100-1.5	100	103	1.5

	加耐力編號 CNL Parts No.	內徑 I.D.	外徑 O.D.	厚度 W
	09001.5-2	1.5	5.5	2
	09002-2	2	6	2
	09003-2	3	7	2
	09003.5-2	3.5	7.5	2
	09004-2	4	8	2
	09004.5-2	4.5	8.5	2
	09005-2	5	9	2
	09006-2	6	10	2
	09006.5-2	6.5	10.5	2
	09007-2	7	11	2
*	09007.5-2	7.5	11.5	2
	09008-2	8	12	2
*	09009-2	9	13	2
	09009.5-2	9.5	13.5	2
*	09010-2	10	14	2
	09010.7-2	10.7	14.7	2
*	09011-2	11	15	2
*	09012-2	12	16	2
	09012.67-2	12.67	16.67	2
*	09013-2	13	17	2
	09013.5-2	13.5	17.5	2
*	09014-2	14	18	2
	09014.5-2	14.5	18.5	2
	09014.8-2	14.8	18.8	2
	09015-2	15	19	2
	09015.8-2	15.8	19.8	2
	09016-2	16	20	2
	09017-2	17	21	2
	09018-2	18	22	2
	09019-2	19	23	2
	09020-2	20	24	2
	09021-2	21	25	2
	09022-2	22	26	2
	09023-2	23	27	2
	09024-2	24	28	2
	09025-2	25	29	2
	09026-2	26	30	2
	09027-2	27	31	2
	09028-2	28	32	2
	09029-2	29	33	2
	09030-2	30	34	2
*	09032-2	32	36	2
*	09032.5-2	32.5	36.5	2
	09033-2	33	37	2
	09034-2	34	38	2



單位 unit: mm

	加耐力編號 CNL Parts No.	內徑 I.D.	外徑 O.D.	厚度 W
	09036-2	36	40	2
	09036.5-2	36.5	40.5	2
	09037-2	37	41	2
	09038-2	38	42	2
	09039-2	39	43	2
	09040-2	40	44	2
	09042-2	42	46	2
*	09043-2	43	47	2
	09044-2	44	48	2
	09045-2	45	49	2
	09046-2	46	50	2
*	09047-2	47	51	2
	09048-2	48	52	2
*	09048.7-2	48.7	52.7	2
	09050-2	50	54	2
*	09052-2	52	56	2
	09053-2	53	57	2
	09055-2	55	59	2
	09056-2	56	60	2
	09057-2	57	61	2
	09058-2	58	62	2
	09059-2	59	63	2
	09060-2	60	64	2
*	09061-2	61	65	2
	09062-2	62	66	2
	09063-2	63	67	2
	09065-2	65	69	2
	09066-2	66	70	2
	09068-2	68	72	2
	09070-2	70	74	2
	09071-2	71	75	2
*	09072-2	72	76	2
*	09073-2	73	77	2
*	09074-2	74	78	2
	09075-2	75	79	2
*	09076-2	76	80	2
*	09076.2-2	76.2	80.2	2
*	09077-2	77	81	2
*	09078-2	78	82	2
	09080-2	80	84	2
	09085-2	85	89	2
*	09088-2	88	92	2
	09090-2	90	94	2
	09095-2	95	99	2
*	09096-2	96	100	2


[illegible]

○
環

* 代表國際規範外， 加耐力公司特別尺寸.

(* means CNL special design outside the international standard specifications)

METRIC METRIC-Type O-Ring Size List



單位 unit: mm

	加耐力編號 CNL Parts No.	內徑 I.D.	外徑 O.D.	厚度 W
*	09004-2.5	4	9	2.5
*	09005-2.5	5	10	2.5
*	09006-2.5	6	11	2.5
*	09007-2.5	7	12	2.5
*	09008-2.5	8	13	2.5
*	09009-2.5	9	14	2.5
*	09009.5-2.5	9.5	14.5	2.5
*	09010-2.5	10	15	2.5
*	09011-2.5	11	16	2.5
*	09012-2.5	12	17	2.5
*	09013-2.5	13	18	2.5
*	09014-2.5	14	19	2.5
*	09015-2.5	15	20	2.5
*	09016-2.5	16	21	2.5
*	09017-2.5	17	22	2.5
*	09018-2.5	18	23	2.5
*	09019-2.5	19	24	2.5
*	09020-2.5	20	25	2.5
*	09021-2.5	21	26	2.5
*	09022-2.5	22	27	2.5
*	09023-2.5	23	28	2.5
*	09024-2.5	24	29	2.5
*	09025-2.5	25	30	2.5
*	09026-2.5	26	31	2.5
*	09027-2.5	27	32	2.5
*	09028-2.5	28	33	2.5
*	09029.7-2.5	29.7	34.7	2.5
*	09030-2.5	30	35	2.5
*	09031-2.5	31	36	2.5
*	09031.8-2.5	31.8	36.8	2.5
*	09032-2.5	32	37	2.5
*	09033-2.5	33	38	2.5
*	09035-2.5	35	40	2.5
*	09036-2.5	36	41	2.5
*	09038-2.5	38	43	2.5
*	09039.8-2.5	39.8	44.8	2.5
*	09044.5-2.5	44.5	49.5	2.5
*	09045-2.5	45	50	2.5
*	09048-2.5	48	53	2.5
*	09050-2.5	50	55	2.5
*	09049.5-2.5	49.5	54.5	2.5
*	09054.5-2.5	54.5	59.5	2.5
*	09058-2.5	58	63	2.5
*	09060-2.5	60	65	2.5
*	09065-2.5	65	70	2.5

	加耐力編號 CNL Parts No.	內徑 I.D.	外徑 O.D.	厚度 W
*	09068-2.5	68	73	2.5
*	09075-2.5	75	80	2.5
*	09079.3-2.5	79.3	84.3	2.5
*	09080-2.5	80	85	2.5
*	09085-2.5	85	90	2.5
*	09087.5-2.5	87.5	92.5	2.5
*	09090-2.5	90	95	2.5
*	09098-2.5	98	103	2.5
*	09100-2.5	100	105	2.5
*	09110-2.5	110	115	2.5
*	09115-2.5	115	120	2.5
	09004-3	4	10	3
*	09005-3	5	11	3
	09006-3	6	12	3
	09007-3	7	13	3
	09008-3	8	14	3
	09009-3	9	15	3
*	09009.5-3	9.5	15.5	3
	09010-3	10	16	3
	09011-3	11	17	3
	09012-3	12	18	3
	09013-3	13	19	3
	09014-3	14	20	3
	09015-3	15	21	3
	09016-3	16	22	3
	09017-3	17	23	3
*	09017.7-3	17.7	23.7	3
	09018-3	18	24	3
	09019-3	19	25	3
	09020-3	20	26	3
*	09020.7-3	20.7	26.7	3
	09021-3	21	27	3
*	09021.7-3	21.7	27.7	3
	09022-3	22	28	3
	09023-3	23	29	3
	09024-3	24	30	3



單位 unit: mm


O
環

	加耐力編號 CNL Parts No.	內徑 I.D.	外徑 O.D.	厚度 W
	09043-3	43	49	3
	09025-3	25	31	3
	09026-3	26	32	3
*	09026.5-3	26.5	32.5	3
	09027-3	27	33	3
	09028-3	28	34	3
	09029-3	29	35	3
*	09029.2-3	29.2	35.2	3
	09030-3	30	36	3
*	09031-3	31	37	3
*	09031.5-3	31.5	37.5	3
	09032-3	32	38	3
	09033-3	33	39	3
	09034-3	34	40	3
	09035-3	35	41	3
	09036-3	36	42	3
*	09037-3	37	43	3
*	09037.46-3	37.46	43.46	3
	09038-3	38	44	3
	09040-3	40	46	3
	09042-3	42	48	3
*	09043.68-3	43.68	49.68	3
	09045-3	45	51	3
*	09046-3	46	52	3
*	09047-3	47	53	3
	09048-3	48	54	3
	09050-3	50	56	3
*	09051-3	51	57	3
	09052-3	52	58	3
	09053-3	53	59	3
	09055-3	55	61	3
*	09056-3	56	62	3
*	09057-3	57	63	3
	09058-3	58	64	3
*	09059-3	59	65	3
	09060-3	60	66	3
	09062-3	62	68	3
*	09063-3	63	69	3
	09065-3	65	71	3
	09068-3	68	74	3
	09070-3	70	76	3
	09072-3	72	78	3
	09075-3	75	81	3
	09078-3	78	84	3
	09080-3	80	86	3

	加耐力編號 CNL Parts No.	內徑 I.D.	外徑 O.D.	厚度 W
	09082-3	82	88	3
*	09083-3	83	89	3
	09085-3	85	91	3
	09088-3	88	94	3
	09090-3	90	96	3
	09092-3	92	98	3
	09095-3	95	101	3
	09098-3	98	104	3
	09100-3	100	106	3
	09102-3	102	108	3
	09105-3	105	111	3
	09108-3	108	114	3
	09110-3	110	116	3
	09112-3	112	118	3
	09115-3	115	121	3
	09118-3	118	124	3
	09120-3	120	126	3
	09122-3	122	128	3
*	09124-3	124	130	3
	09125-3	125	131	3
	09128-3	128	134	3
	09130-3	130	136	3
	09132-3	132	138	3
	09135-3	135	141	3
	09140-3	140	146	3
	09145-3	145	151	3
*	09148-3	148	154	3
	09150-3	150	156	3
*	09154-3	154	160	3
	09155-3	155	161	3
	09160-3	160	166	3
	09165-3	165	171	3
*	09168-3	168	174	3
	09170-3	170	176	3
	09175-3	175	181	3
	09180-3	180	186	3
	09185-3	185	191	3
	09190-3	190	196	3
	09195-3	195	201	3
	09200-3	200	206	3
*	09205-3	205	211	3
	09210-3	210	216	3
*	09215-3	215	221	3
	09220-3	220	226	3
*	09225-3	225	231	3

* 代表國際規範外， 加耐力公司特別尺寸。

(* means CNL special design outside the international standard specifications)



單位 unit: mm

	加耐力編號 CNL Parts No.	內徑 I.D.	外徑 O.D.	厚度 W
	09230-3	230	236	3
*	09235-3	235	241	3
	09240-3	240	246	3
*	09245-3	245	251	3
	09250-3	250	256	3
*	09255-3	255	261	3
	09260-3	260	266	3
	09265-3	265	271	3
	09270-3	270	276	3
	09275-3	275	281	3
	09280-3	280	286	3
	09285-3	285	291	3
	09290-3	290	296	3
	09295-3	295	301	3
	09300-3	300	306	3
*	09305-3	305	311	3
	09310-3	310	316	3
	09320-3	320	326	3
*	09330-3	330	336	3
*	09335-3	335	341	3
*	09340-3	340	346	3
	09350-3	350	356	3
*	09360-3	360	366	3
*	09370-3	370	376	3
*	09380-3	380	386	3
*	09390-3	390	396	3
*	09400-3	400	406	3
*	09410-3	410	416	3
*	09415-3	415	421	3
*	09430-3	430	436	3
*	09440-3	440	446	3
*	09460-3	460	466	3
*	09475-3	475	481	3
*	09485-3	485	491	3
*	09495-3	495	501	3
*	09530-3	530	536	3
*	09625-3	625	631	3

	加耐力編號 CNL Parts No.	內徑 I.D.	外徑 O.D.	厚度 W
*	09003.8-4	3.8	11.8	4
*	09005-4	5	13	4
*	09006-4	6	14	4
	09008-4	8	16	4
*	09009-4	9	17	4
	09010-4	10	18	4
	09011-4	11	19	4
	09012-4	12	20	4
	09013-4	13	21	4
	09014-4	14	22	4
	09015-4	15	23	4
	09016-4	16	24	4
	09017-4	17	25	4
	09018-4	18	26	4
	09019-4	19	27	4
	09020-4	20	28	4
	09021-4	21	29	4
	09022-4	22	30	4
*	09023-4	23	31	4
	09024-4	24	32	4
	09025-4	25	33	4
	09026-4	26	34	4
	09027-4	27	35	4
	09028-4	28	36	4
*	09029-4	29	37	4
	09030-4	30	38	4
*	09031-4	31	39	4
	09032-4	32	40	4
	09033-4	33	41	4
	09034-4	34	42	4
	09035-4	35	43	4
	09036-4	36	44	4
	09038-4	38	46	4
	09040-4	40	48	4
	09041-4	41	49	4
	09042-4	42	50	4
	09043-4	43	51	4
	09044-4	44	52	4
	09045-4	45	53	4
*	09046-4	46	54	4
	09047-4	47	55	4
	09048-4	48	56	4
	09050-4	50	58	4
	09052-4	52	60	4
	09054-4	54	62	4



單位 unit: mm

	加耐力編號 CNL Parts No.	內徑 I.D.	外徑 O.D.	厚度 W
	09055-4	55	63	4
	09056-4	56	64	4
	09058-4	58	66	4
	09060-4	60	68	4
	09062-4	62	70	4
*	09063-4	63	71	4
	09064-4	64	72	4
	09065-4	65	73	4
	09068-4	68	76	4
	09070-4	70	78	4
	09072-4	72	80	4
	09075-4	75	83	4
	09078-4	78	86	4
	09080-4	80	88	4
	09082-4	82	90	4
	09085-4	85	93	4
	09088-4	88	96	4
	09090-4	90	98	4
	09092-4	92	100	4
	09095-4	95	103	4
	09098-4	98	106	4
	09100-4	100	108	4
	09102-4	102	110	4
	09105-4	104	112	4
	09105-4	105	113	4
	09108-4	108	116	4
	09110-4	110	118	4
	09112-4	112	120	4
	09115-4	115	123	4
*	09118-4	118	126	4
	09120-4	120	128	4
*	09122-4	122	130	4
	09125-4	125	133	4
	09130-4	130	138	4
	09132-4	132	140	4
	09135-4	135	143	4
	09140-4	140	148	4
	09141-4	141	149	4
*	09142-4	142	150	4
	09145-4	145	153	4
*	09148-4	148	156	4
	09150-4	150	158	4
	09152-4	152	160	4
	09155-4	155	163	4
	09160-4	160	168	4

	加耐力編號 CNL Parts No.	內徑 I.D.	外徑 O.D.	厚度 W
	09165-4	165	173	4
*	09166-4	166	174	4
	09170-4	170	178	4
	09175-4	173	181	4
	09175-4	175	183	4
	09180-4	180	188	4
	09185-4	185	193	4
	09190-4	190	198	4
*	09192-4	192	200	4
	09195-4	195	203	4
	09200-4	200	208	4
*	09205-4	205	213	4
	09210-4	210	218	4
*	09215-4	215	223	4
	09220-4	220	228	4
	09230-4	230	238	4
	09240-4	240	248	4
*	09245-4	245	253	4
	09250-4	250	258	4
*	09255-4	255	263	4
*	09260-4	260	268	4
*	09265-4	265	273	4
*	09270-4	270	278	4
*	09280-4	280	288	4
*	09285-4	285	293	4
*	09290-4	290	298	4
*	09300-4	300	308	4
*	09305-4	305	313	4
*	09310-4	310	318	4
*	09320-4	320	328	4
*	09325-4	325	333	4
*	09330-4	330	338	4
*	09335-4	335	343	4
*	09340-4	340	348	4
*	09350-4	350	358	4
*	09353-4	353	361	4
*	09363-4	363	371	4
*	09364-4	364	372	4
*	09370-4	370	378	4
*	09380-4	380	388	4
*	09385-4	385	393	4
*	09450-4	450	458	4

* 代表國際規範外， 加耐力公司特別尺寸。

(* means CNL special design outside the international standard specifications)