

O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09579-2.5	579	584	2.5	
	09579-10	579	599	10	V-585
*	02580	579.3	590.7	5.7	G-580
*	01580	579.5	596.3	8.4	P-580
*	09580-3	580	586	3	
*	09580-4	580	588	4	
*	09580-5	580	590	5	
*	09580-6	580	592	6	
*	09580-8	580	596	8	
*	09582-11	582	604	11	
	08392	582.65	593.31	5.33	AS-392
	08472	582.65	596.63	6.99	AS-472
*	09584-10	584	604	10	V-590
*	02585	584.3	595.7	5.7	G-585
*	01585	584.5	601.3	8.4	P-585
*	09585-4	585	593	4	
*	09585-5	585	595	5	
*	09588.3-7.2	588.3	602.7	7.2	
*	09589-6.99	589	602.98	6.99	
*	02590	589.3	600.7	5.7	G-590
*	01590	589.5	606.3	8.4	P-590
*	09590-4	590	598	4	
*	09590-5	590	600	5	
*	09590-7	590	604	7	
*	09590-12	590	614	12	
*	09593-10	593	613	10	V-600
*	02595	594.3	605.7	5.7	G-595
*	01595	594.5	611.3	8.4	P-595
*	09595-3.53	595	602.06	3.53	
*	09595-16	595	627	16	
*	09596.22-7	596.22	610.22	7	
*	09598-3	598	604	3	
*	09598.83-3.53	598.83	605.89	3.53	
*	02600	599.3	610.7	5.7	G-600
*	01600	599.5	616.3	8.4	P-600
*	09600-4	600	608	4	
*	09600-6	600	612	6	
*	09600-8.4	600	616.8	8.4	
*	09600-12	600	624	12	
*	09602-5.33	602	612.66	5.33	


	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09603.5-10	603.5	623.5	10	V-610
*	09607-8	607	623	8	
	08393	608.1	618.76	5.33	AS-393
	08473	608.1	622.08	6.99	AS-473
*	02610	609.3	620.7	5.7	G-610
*	01610	609.5	626.3	8.4	P-610
*	09610-10	610	630	10	
*	09612-4	612	620	4	
*	09613-11	613	635	11	
*	09613.5-10	613.5	633.5	10	V-620
*	09615-6	615	627	6	
*	09615-9	615	633	9	
*	02620	619.3	630.7	5.7	G-620
*	01620	619.5	636.3	8.4	P-620
*	09620-10	620	640	10	
*	09623-7	623	637	7	
*	09623.5-10	623.5	643.5	10	V-630
*	09625-3	625	631	3	
*	02630	629.3	640.7	5.7	G-630
*	01630	629.5	646.3	8.4	P-630
*	09630-5	630	640	5	
*	09630-8	630	646	8	
*	09630-10	630	650	10	
*	09633-7	633	647	7	
	08394	633.5	644.16	5.33	AS-394
	08474	633.5	647.48	6.99	AS-474
	09633.5-10	633.5	653.5	10	V-640
*	02640	639.3	650.7	5.7	G-640
*	01640	639.5	656.3	8.4	P-640
*	09640-3	640	646	3	
*	09640-7	640	654	7	
*	09643-5.3	643	653.6	5.3	
*	09643-10	643	663	10	V-650
*	02650	649.3	660.7	5.7	G-650
*	01650	649.5	666.3	8.4	P-650
*	09650-6	650	662	6	
*	09652.6-6	652.6	664.6	6	
*	09653-10	653	673	10	V-660
*	09655-4	655	663	4	
*	09657-4	657	665	4	

O 環 尺 寸

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)

O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09657-6.99	657	670.98	6.99	
	08395	658.85	669.51	5.33	AS-395
	08475	658.85	672.83	6.99	AS-475
*	02660	659.3	670.7	5.7	G-660
*	01660	659.5	676.3	8.4	P-660
*	09663-10	663	683	10	V-670
*	09664-11	664	686	11	
*	09665-5	665	675	5	
*	09668-5.3	668	678.6	5.3	
*	02670	669.3	680.7	5.7	G-670
*	01670	669.5	686.3	8.4	P-670
*	09670-7	670	684	7	
*	09671.8-8	671.8	687.8	8	
*	09673-10	673	693	10	V-680
*	09677-7	677	691	7	
*	09678-7	678	692	7	
*	09678-11	678	700	11	
*	09678-12	678	702	12	
*	02680	679.3	690.7	5.7	G-680
*	01680	679.5	696.3	8.4	P-680
	09683-10	683	703	10	V-690
*	02690	689.3	700.7	5.7	G-690
*	01690	689.5	706.3	8.4	P-690
*	09692.5-10	692.5	712.5	10	V-700
*	09695-3.53	695	702.06	3.53	
*	09695-5	695	705	5	
*	09698-10	698	718	10	
*	02700	699.3	710.7	5.7	G-700
*	01700	699.5	716.3	8.4	P-700
*	09702.5-10	702.5	722.5	10	V-710
*	09706-7	706	720	7	
*	02710	709.3	720.7	5.7	G-710
*	01710	709.5	726.3	8.4	P-710
*	09710-6.99	710	723.98	6.99	
*	09711-5.33	711	721.66	5.33	
*	09711-7	711	725	7	
*	09712.5-10	712.5	732.5	10	V-720
*	09714-11	714	736	11	
*	02720	719.3	730.7	5.7	G-720
*	01720	719.5	736.3	8.4	P-720

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09720-6	720	732	6	
*	09720-7	720	734	7	
*	09720-12	720	744	12	
*	09722.5-10	722.5	742.5	10	V-730
*	09725-10	725	745	10	
*	02730	729.3	740.7	5.7	G-730
*	01730	729.5	746.3	8.4	P-730
*	09730-5	730	740	5	
	09732.5-10	732.5	752.5	10	V-740
*	02740	739.3	750.7	5.7	G-740
*	01740	739.5	756.3	8.4	P-740
*	09742-10	742	762	10	V-750
*	09745-5.7	745	756.4	5.7	
*	09747-5.33	747	757.66	5.33	
*	02750	749.3	760.7	5.7	G-750
*	01750	749.5	766.3	8.4	P-750
*	09752-10	752	772	10	V-760
*	02760	759.3	770.7	5.7	G-760
*	01760	759.5	776.3	8.4	P-760
*	09762-10	762	782	10	V-770
*	09765-7	765	779	7	
*	02770	769.3	780.7	5.7	G-770
*	01770	769.5	786.3	8.4	P-770
*	09772-10	772	792	10	V-780
*	09775-11	775	797	11	
*	09775-13	775	801	13	
*	09776-5.33	776	786.66	5.33	
*	02780	779.3	790.7	5.7	G-780
*	01780	779.5	796.3	8.4	P-780
	09782-10	782	802	10	V-790
*	09785-6	785	797	6	
*	02790	789.3	800.7	5.7	G-790
*	01790	789.5	806.3	8.4	P-790
*	09790.4-6.98	790.4	804.36	6.98	
*	09791.5-10	791.5	811.5	10	V-800
*	02800	799.3	810.7	5.7	G-800
*	01800	799.5	816.3	8.4	P-800
*	09800-8.8	800	817.6	8.8	
*	09801.5-10	801.5	821.5	10	V-810
*	02810	809.3	820.7	5.7	G-810

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)

O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



單位 unit: mm

材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	01810	809.5	826.3	8.4	P-810
*	09810-5.33	810	820.66	5.33	
*	09811.5-10	811.5	831.5	10	V-820
*	09813-9	813	831	9	
*	09816-8	816	832	8	
*	02820	819.3	830.7	5.7	G-820
*	01820	819.5	836.3	8.4	P-820
*	09821.5-10	821.5	841.5	10	V-830
*	09827-11	827	849	11	
*	02830	829.3	840.7	5.7	G-830
*	01830	829.5	846.3	8.4	P-830
*	09831.5-10	831.5	851.5	10	V-840
	09836.5-10	836.5	856.5	10	V-845
*	02840	839.3	850.7	5.7	G-840
*	01840	839.5	856.3	8.4	P-840
*	09840-5.7	840	851.4	5.7	
*	09841.5-10	841.5	861.5	10	V-850
*	02850	849.3	860.7	5.7	G-850
*	01850	849.5	866.3	8.4	P-850
*	09850-7	850	864	7	
*	09851.5-10	851.5	871.5	10	V-860
*	02860	859.3	870.7	5.7	G-860
*	01860	859.5	876.3	8.4	P-860
*	09860-5.33	860	870.66	5.33	
*	09861.5-10	861.5	881.5	10	V-870
*	02870	869.3	880.7	5.7	G-870
*	01870	869.5	886.3	8.4	P-870
*	09871.5-10	871.5	891.5	10	V-880
*	09875-10	875	895	10	
*	09876-5.7	876	887.4	5.7	
*	09878-11	878	900	11	
*	02880	879.3	890.7	5.7	G-880
*	01880	879.5	896.3	8.4	P-880
*	09881.5-10	881.5	901.5	10	V-890
*	02890	889.3	900.7	5.7	G-890
*	01890	889.5	906.3	8.4	P-890
*	09891-10	891	911	10	V-900
*	09892-5.33	892	902.66	5.33	
*	09898-5.33	898	908.66	5.33	
*	02900	899.3	910.7	5.7	G-900

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	01900	899.5	916.3	8.4	P-900
*	09901-10	901	921	10	V-910
*	02910	909.3	920.7	5.7	G-910
*	01910	909.5	926.3	8.4	P-910
*	09909.7-7	909.7	923.7	7	
*	09911-10	911	931	10	V-920
*	09914-11	914	936	11	
*	02920	919.3	930.7	5.7	G-920
*	01920	919.5	936.3	8.4	P-920
*	09921-10	921	941	10	V-930
*	02930	929.3	940.7	5.7	G-930
*	01930	929.5	946.3	8.4	P-930
*	09931-10	931	951	10	V-940
*	02940	939.3	950.7	5.7	G-940
*	01940	939.5	956.3	8.4	P-940
	09940.5-10	940.5	960.5	10	V-950
*	09948-6	948	960	6	
*	02950	949.3	960.7	5.7	G-950
*	01950	949.5	966.3	8.4	P-950
*	09950.5-10	950.5	970.5	10	V-960
*	02960	959.3	970.7	5.7	G-960
*	01960	959.5	976.3	8.4	P-960
*	09960.5-10	960.5	980.5	10	V-970
*	09968-14	968	996	14	
*	02970	969.3	980.7	5.7	G-970
*	01970	969.5	986.3	8.4	P-970
*	09970.5-10	970.5	990.5	10	V-980
*	09978-11	978	1000	11	
*	02980	979.3	990.7	5.7	G-980
*	01980	979.5	996.3	8.4	P-980
*	09980.5-10	980.5	1000.5	10	V-990
*	09986-2.62	986	991.24	2.62	
*	02990	989.3	1000.7	5.7	G-990
*	01990	989.5	1006.3	8.4	P-990
*	09990.5-10	990.5	1010.5	10	V-1000
*	09995-5.33	995	1005.66	5.33	
*	09995-10	995	1015	10	
*	02A1000	999.3	1010.7	5.7	G-1000
*	01A1000	999.5	1016.3	8.4	P-1000
*	09A1000-10	1000	1020	10	V-1010

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)