




O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09011.5-2.5	11.5	16.5	2.5	
*	09011.5-2.62	11.5	16.74	2.62	
*	09011.5-3	11.5	17.5	3	
*	09011.5-3.5	11.5	18.5	3.5	
*	09011.5-4	11.5	19.5	4	V-12
*	09011.6-1.2	11.6	14	1.2	
*	09011.8-2	11.8	15.8	2	
	01012	11.8	16.6	2.4	P-12
*	09011.88-1.78	11.88	15.44	1.78	
	08906	11.89	15.85	1.98	AS-906
*	09011.91-2.62	11.91	17.15	2.62	
*	09012-1	12	14	1	Ss-120
*	09012-1.2	12	14.4	1.2	
	04012.5	12	15	1.5	S-12.5
*	09012-1.8	12	15.6	1.8	
*	09012-2	12	16	2	
*	09012-2.5	12	17	2.5	
*	09012-3	12	18	3	
*	09012-3.5	12	19	3.5	
*	09012-4	12	20	4	
*	09012-4.2	12	20.4	4.2	
*	09012-4.5	12	21	4.5	
*	09012-5	12	22	5	
*	09012-6	12	24	6	
*	09012-8	12	28	8	
*	09012-10	12	32	10	
*	09012-12	12	36	12	
	08310	12.07	22.73	5.33	AS-310
*	09012.2-1.8	12.2	15.8	1.8	
*	09012.2-3	12.2	18.2	3	
	08206	12.29	19.35	3.53	AS-206
	071012	12.3	16.1	1.9	JASO-1012
	01012.5	12.3	17.1	2.4	P-12.5
*	09012.3-3	12.3	18.3	3	
	08112	12.37	17.61	2.62	AS-112
*	02013	12.4	18.6	3.1	G-13
	08014	12.42	15.98	1.78	AS-014
*	09012.5-1	12.5	14.5	1	Ss-125
*	09012.5-1.5	12.5	15.5	1.5	
*	09012.5-2	12.5	16.5	2	

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09012.5-3	12.5	18.5	3	
*	09012.5-4	12.5	20.5	4	
*	09012.6-2.5	12.6	17.6	2.5	
*	09012.67-2	12.67	16.67	2	
*	09012.7-1.57	12.7	15.84	1.57	
*	09012.8-2	12.8	16.8	2	
*	09012.8-2.4	12.8	17.6	2.4	
*	09012.8-2.5	12.8	17.8	2.5	
*	09013-1	13	15	1	Ss-130
*	09013-1.5	13	16	1.5	
*	09013-1.78	13	16.56	1.78	
	071013	13	16.8	1.9	JASO-1013
*	09013-2	13	17	2	
	072013	13	17.8	2.4	JASO-2013
*	09013-2.5	13	18	2.5	
*	09013-3	13	19	3	
*	09013-3.5	13	20	3.5	
*	09013-3.7	13	20.4	3.7	
*	09013-4	13	21	4	
*	09013-4.5	13	22	4.5	
*	09013-5	13	23	5	
*	09013-6	13	25	6	
*	09013.1-1.6	13.1	16.3	1.6	
*	09013.1-2.62	13.1	18.34	2.62	
*	09013.3-1.5	13.3	16.3	1.5	
*	09013.3-2.4	13.3	18.1	2.4	
*	09013.34-1.78	13.34	16.9	1.78	
*	02014	13.4	19.6	3.1	G-14
	08907	13.46	17.62	2.08	AS-907
*	09013.49-1.17	13.49	15.83	1.17	
*	09013.5-1	13.5	15.5	1	Ss-135
	04014	13.5	16.5	1.5	S-14
*	09013.5-2	13.5	17.5	2	
*	09013.5-2.2	13.5	17.9	2.2	
*	09013.5-2.5	13.5	18.5	2.5	
*	09013.5-3	13.5	19.5	3	
*	09013.5-3.5	13.5	20.5	3.5	
*	09013.5-4	13.5	21.5	4	V-14
	08311	13.64	24.3	5.33	AS-311
	071014	13.8	17.6	1.9	JASO-1014

* 符號代表國際規範外，CNL 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09013.8-2	13.8	17.8	2	
	01014	13.8	18.6	2.4	P-14
*	09013.8-2.5	13.8	18.8	2.5	
*	09013.8-3	13.8	19.8	3	
	08207	13.87	20.93	3.53	AS-207
	08113	13.95	19.19	2.62	AS-113
*	09014-1	14	16	1	Ss-140
*	09014-1.5	14	17	1.5	
	08015	14	17.56	1.78	AS-015
*	09014-2	14	18	2	
*	09014-2.1	14	18.2	2.1	
*	09014-2.5	14	19	2.5	
*	09014-2.8	14	19.6	2.8	
*	09014-3	14	20	3	
*	09014-3.5	14	21	3.5	
*	09014-4	14	22	4	
*	09014-4.5	14	23	4.5	
*	09014-5	14	24	5	
*	09014-6	14	26	6	
*	09014.3-2.4	14.3	19.1	2.4	
*	02015	14.4	20.6	3.1	G-15
*	09014.5-1	14.5	16.5	1	Ss-145
	04015	14.5	17.5	1.5	S-15
*	09014.5-2	14.5	18.5	2	
*	09014.5-2.5	14.5	19.5	2.5	
*	09014.5-3	14.5	20.5	3	
*	09014.5-3.5	14.5	21.5	3.5	
	09014.5-4	14.5	22.5	4	V-15
*	09014.5-5	14.5	24.5	5	
*	09014.7-1.8	14.7	18.3	1.8	
*	09014.7-3.5	14.7	21.7	3.5	
	071015	14.8	18.6	1.9	JASO-1015
*	09014.8-2	14.8	18.8	2	
	01015	14.8	19.6	2.4	P-15
*	09014.8-5.2	14.8	25.2	5.2	
*	09014.9-6.8	14.9	28.5	6.8	
*	09015-1	15	17	1	Ss-150
*	09015-1.5	15	18	1.5	
*	09015-1.8	15	18.6	1.8	
*	09015-2	15	19	2	


	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09015-2.5	15	20	2.5	
*	09015-3	15	21	3	
*	09015-3.5	15	22	3.5	
*	09015-4	15	23	4	
*	09015-4.5	15	24	4.5	
*	09015-5	15	25	5	Gm-015
*	09015-6	15	27	6	
*	09015-7	15	29	7	
*	09015-10	15	35	10	
*	09015.08-2.62	15.08	20.32	2.62	
	08312	15.24	25.9	5.33	AS-312
*	09015.3-2.4	15.3	20.1	2.4	
*	02016	15.4	21.6	3.1	G-16
	08208	15.47	22.53	3.53	AS-208
*	09015.5-1	15.5	17.5	1	Ss-155
*	09015.5-1.2	15.5	17.9	1.2	
	04016	15.5	18.5	1.5	S-16
*	09015.5-2	15.5	19.5	2	
*	09015.5-2.5	15.5	20.5	2.5	
*	09015.5-3	15.5	21.5	3	
*	09015.5-4	15.5	23.5	4	V-16
*	09015.5-4.5	15.5	24.5	4.5	
	08114	15.54	20.78	2.62	AS-114
	08016	15.6	19.16	1.78	AS-016
*	09015.8-0.6	15.8	17	0.6	
	071016	15.8	19.6	1.9	JASO-1016
*	09015.8-2	15.8	19.8	2	
	01016	15.8	20.6	2.4	P-16
*	09015.8-4.5	15.8	24.8	4.5	
*	09015.87-1.27	15.87	18.41	1.27	
*	09015.88-2.62	15.88	21.12	2.62	
*	09015.9-3	15.9	21.9	3	
*	09016-0.5	16	17	0.5	
*	09016-1	16	18	1	Ss-160
*	09016-1.5	16	19	1.5	
*	09016-1.6	16	19.2	1.6	
*	09016-1.9	16	19.8	1.9	
*	09016-2	16	20	2	
*	09016-2.5	16	21	2.5	
*	09016-2.62	16	21.24	2.62	

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)



O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1種 A	1種 B	3種	4種 C	4種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09016-3	16	22	3	
*	09016-3.5	16	23	3.5	
*	09016-4	16	24	4	
*	09016-4.5	16	25	4.5	
*	09016-5	16	26	5	
*	09016.2-1.5	16.2	19.2	1.5	
*	09016.3-2.4	16.3	21.1	2.4	
	08908	16.36	20.78	2.21	AS-908
*	02017	16.4	22.6	3.1	G-17
*	09016.5-1	16.5	18.5	1	Ss-165
*	09016.5-1.5	16.5	19.5	1.5	
*	09016.5-2	16.5	20.5	2	
*	09016.5-2.5	16.5	21.5	2.5	
*	09016.5-2.7	16.5	21.9	2.7	
*	09016.56-1.78	16.56	20.12	1.78	
*	09016.8-1.2	16.8	19.2	1.2	
	071017	16.8	20.6	1.9	JASO-1017
*	09016.8-2	16.8	20.8	2	
*	01017	16.8	21.6	2.4	P-17
	08313	16.81	27.47	5.33	AS-313
*	09016.9-2.7	16.9	22.3	2.7	
*	09017-1	17	19	1	Ss-170
*	09017-1.5	17	20	1.5	
*	09017-2	17	21	2	
*	09017-2.5	17	22	2.5	
*	09017-3	17	23	3	
*	09017-4	17	25	4	
*	09017-4.5	17	26	4.5	
*	09017-5	17	27	5	
*	09017-6	17	29	6	
	08209	17.04	24.1	3.53	AS-209
*	09017.1-1.6	17.1	20.3	1.6	
	08115	17.12	22.36	2.62	AS-115
	08017	17.17	20.73	1.78	AS-017
*	09017.3-2.4	17.3	22.1	2.4	
*	02018	17.4	23.6	3.1	G-18
*	09017.5-1	17.5	19.5	1	Ss-175
	04018	17.5	20.5	1.5	S-18
*	09017.5-2	17.5	21.5	2	
*	09017.5-2.5	17.5	22.5	2.5	

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09017.5-3	17.5	23.5	3	
*	09017.5-3.5	17.5	24.5	3.5	
*	09017.5-4	17.5	25.5	4	V-18
*	09017.6-2.7	17.6	23	2.7	
*	09017.7-3	17.7	23.7	3	
	071018	17.8	21.6	1.9	JASO-1018
*	09017.8-2	17.8	21.8	2	
	01018	17.8	22.6	2.4	P-18
*	09017.86-2.62	17.86	23.1	2.62	
	08909	17.94	22.86	2.46	AS-909
*	09018-0.7	18	19.4	0.7	
*	09018-1	18	20	1	Ss-180
*	09018-1.5	18	21	1.5	
*	09018-1.7	18	21.4	1.7	
*	09018-2	18	22	2	
*	09018-2.2	18	22.4	2.2	
*	09018-2.5	18	23	2.5	
*	09018-2.8	18	23.6	2.8	
*	09018-3	18	24	3	
*	09018-3.5	18	25	3.5	
*	09018-4	18	26	4	
*	09018-4.5	18	27	4.5	
*	09018-5	18	28	5	
*	09018-6	18	30	6	
*	09018-7	18	32	7	
*	09018.1-1.6	18.1	21.3	1.6	
*	09018.2-2.5	18.2	23.2	2.5	
*	09018.2-3	18.2	24.2	3	
*	09018.2-4.6	18.2	27.4	4.6	
*	09018.3-1.5	18.3	21.3	1.5	
*	09018.3-2.4	18.3	23.1	2.4	
*	09018.3-3.65	18.3	25.6	3.65	
*	09018.4-2.7	18.4	23.8	2.7	
*	02019	18.4	24.6	3.1	G-19
*	09018.42-1.02	18.42	20.46	1.02	
	08314	18.42	29.08	5.33	AS-314
*	09018.5-1	18.5	20.5	1	Ss-185
*	09018.5-1.5	18.5	21.5	1.5	
*	09018.5-2	18.5	22.5	2	
*	09018.5-2.5	18.5	23.5	2.5	

* 符號代表國際規範外，CNL 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)